

Packaging Capabilities

Cutting-edge technology for Superior Packaging



Pre-Press

Equipment

- Heidelberg Prinect Pre-Press Workflow
 - SignaStation with hybrid screening
 - PDF & color toolbox
 - Calibration tools
 - Packaging Pro
 - Gang & sheet optimizer
- Heidelberg Suprasetter – CTP
- EPSON SureColor P7000, P8000, P9000 9000 2020 proofing printers
- EPSON SureColor T7270 proofing printer
- HP Design Jet 5500 proofing printer



Offset

Equipment

- Heidelberg XL 105 40" 6-color with in-line aqueous coating
- Heidelberg XL 106 LX3 40" 6-color with inter deck UV, in-line aqueous and UV coating
- Komori Lithrone GL640 HUV 40" 6C with in-line aqueous and UV coating
- Komori Lithrone LS640P HUV 40" 6C perfecter (2/4) with in-line aqueous and UV coating

Capabilities

- Initial prepress & production consultation services
- Best-in-class color management talent, experience and workflows
- High fidelity 300 dpi with a hybrid screening techniques
- Ability to bring on a variety of plastics and other non-wood pulp substrates
- Basic and complex techniques:
 - Aqueous coatings and vignette varnishes
 - UV coatings, tactile finish coatings, pearlescent
 - Strike-through varnishes, metallic and tinted varnishes strike-through



Digital

Equipment

- HP 15000 digital production press
- HP 7900 digital production press
- Canon C10000VP color production system
- Canon C9000 color production system
- Canon 1125 B&W production system
- SEAL 62 Pro film laminator



Digital

Capabilities

- Unsurpassed offset quality
- 2438 × 2438 dpi high-definition imaging
- B2 - 29.5" x 20.81" max sheet size
- Ability to print white ink, custom Pantone colors and metallics
- Variety of substrates from 50# text to 24pt cover traditional pulp and non-pulp based
- Custom print-on-demand web solutions with custom digital storefronts
- Fast turnaround times, no minimum quantities



Finishing/ Converting

Equipment

- Full service on-premise bindery – cutting, die cutting, folding and gluing
- Polar 45" 115 EMC cutter
- Polar 54" 137 XT cutter (3)
- Bobst 102 die cutter
- Bobst 103 ER blanking die cutter
- Bobst 106 Nova Cut blanking die cutter
- Heidelberg 24" cylinder die cutter
- Heidelberg Easymatrix 106 CS die cutter
- Heidelberg Varimatrix die cutter
- Bobst Vision Fold 80 straight line gluer – only for packaging
- Bobst Vision Fold 110 straight line gluer
- MK Diana Easy 2000 straight line gluer
- Omega All Pro 110 straight line gluer
- International right angle folder/gluer
- HHS cold glue systems
- GMS Mircor Gluer 848
- Mimake CF2-0912 packaging sample maker

Large Format Finishing

- Durst Autocutter 62/6 cutter
- Fotoba XL 320 cutter
- Mutoh ValueCut cutter
- Ioline 110L 42" vinyl cutter
- Graphtec FC 8600 130 Cutting Plotter
- Vision VR48 CNC Router
- Therm-O-Type RDC-Flex rotary die cutter
- Custom Designed Finishing Table
- Matrix 24" laminator
- SEAL 62 Pro laminator
- Advanced Greig Laminator 64i laminator
- FIAB HF AB welding machine
- Impulsa sewing machine
- X/Y Auto-cutter

Capabilities

- High quality, high-definition 1200dpi resolution imaging
- Capable of imaging rolls up to 126" wide
- Oversized board printing capability up to 60" X 120"
- Print on standard digital textile fabrics and specialty materials
- Environmentally friendly LED and latex water-based inks
- Oeko-tex® Standard 100 certifications



Fulfillment and Mailing

Inventory, Pick & Pack Services

- Custom tailored web solutions and reporting
- On-site distribution and mailing
- Fulfillment and pack out services
- Vendor Managed Inventory

Mailing Services

- Bell & Howell 6 pocket inserter 6" X 9" (2)
- Bell & Howell 6 pocket inserter 9" X 12"
- Kirk Rudy in-line tabbing system
- Kirk Rudy ink jet system with driers (2)
- Banding, strapping systems



Business/Quality/Enterprise Software

Equipment

- PACE
- Fiery EFI XF
- Heidelberg Prinect

Capabilities

- 40" max sheet size with 1.7" to 34" carton sizes
- Die cutting and integrated stripping
- Up to 78pt media capabilities
- Straightline, lock bottom, 4-corner, and 6-corner collapsible carton capabilities